

World Journal of *Medical Genetics*

World J Med Genet 2016 May 27; 6(2): 17-21





Editorial Board

2016-2019

The *World Journal of Medical Genetics* Editorial Board consists of 331 members, representing a team of worldwide experts in medical genetics. They are from 50 countries, including Argentina (1), Armenia (1), Australia (4), Austria (2), Belgium (2), Brazil (6), Bulgaria (2), Canada (6), Chile (1), China (39), Croatia (1), Czech Republic (1), Denmark (3), Ecuador (1), Egypt (2), France (10), Germany (4), Greece (2), Hungary (1), India (13), Iran (7), Ireland (1), Israel (2), Italy (22), Japan (23), Malaysia (2), Mexico (2), Netherlands (5), New Zealand (2), Norway (2), Pakistan (1), Peru (1), Poland (1), Portugal (1), Russia (2), Saudi Arabia (4), Serbia (1), Singapore (3), Slovenia (2), South Korea (7), Spain (16), Sweden (1), Switzerland (2), Thailand (3), Turkey (8), Ukraine (1), United Arab Emirates (1), United Kingdom (10), United States (95) and Uruguay (1).

EDITOR-IN-CHIEF

Hans van Bokhoven, *Nijmegen*

GUEST EDITORIAL BOARD MEMBERS

Chia-Hsiang Chen, *Zhunan*
Ji-Yih Chen, *Keelung*
Bor-Luen Chiang, *Taipei*
Yu-Chen Hu, *Hsinchu*
Suh-Hang H Juo, *Kaohsiung*
Hsien-Hsiung Lee, *Taichung*
Yueh-Lun Lee, *Taipei*
Chin-San Liu, *Changhua*
Pei-Jung Lu, *Tainan*
Chien-Kuo Tai, *Chiayi*
Po-Nien Tsao, *Taipei*
Wendy Wen-Hui Weng, *Taipei*
Kuo-Liang Yang, *Hualien*

MEMBERS OF THE EDITORIAL BOARD



Argentina

Carlos J Pirola, *Buenos Aires*



Armenia

Hasmik Mkrtchyan, *Yerevan*



Australia

Simon Easteal, *Canberra*
Jeremy BM Jowett, *Melbourne*

Karen Anne Mather, *Randwick*
Grant Morahan, *Perth*



Austria

Harald N Aschauer, *Vienna*
Anton Wutz, *Vienna*



Belgium

Teresinha Leal, *Brussels*
van West, Dirk, *Antwerp*



Brazil

Pereira Priscila Krauss, *Rio de Janeiro*
Sharbel Weidner Maluf, *Porto Alegre*
Milton Ozório Moraes, *Rio de Janeiro*
Fernando Regla Vargas, *Rio de Janeiro*
Jeane Eliete Laguila Visentainer, *Sao Paulo*
Isabela Jube Wastowski, *Goiania*



Bulgaria

Spaska Angelova Stanilova, *Stara Zagora*
Albena Todorova, *Sofia*



Canada

Régen Drouin, *Sherbrooke*
Gonzalo Hortelano, *Hamilton*
William Jia, *Vancouver*

Sean Li, *Ottawa*
Shiva M Singh, *London*
Liting Song, *Toronto*



Chile

Jara Sosa Lilian Elena, *Santiago*



China

George G Chen, *Hong Kong*
Ning-Han Feng, *Nanjing*
Shi-Ang Huang, *Wuhan*
Wei Huang, *Shanghai*
Chun-Yan Ji, *Jinan*
Hong-Chuan Jin, *Hangzhou*
Ke-Shen Li, *Zhanjiang*
Zhuo-Zhuang Lu, *Beijing*
Xiao-Ping Luo, *Wuhan*
Wen-Bin Qian, *Hangzhou*
Rong Rui, *Nanjing*
Lun-Quan Sun, *Changsha*
Qian Tao, *Hong Kong*
George Sai-Wah Tsao, *Hong Kong*
Ming-Rong Wang, *Beijing*
Shi-Jie Wang, *Shijiazhuang*
Wei Wang, *Beijing*
Ji Wu, *Shanghai*
Hua-Xi Xu, *Zhenjiang*
Ruian Xu, *Xiamen*
Wei-Hua Yan, *Linhai*
Rong-Cun Yang, *Tianjin*
Bang-Ce Ye, *Shanghai*
Rui-Xing Yin, *Nanning*
Yi Zeng, *Beijing*
Xiao-Feng Zhu, *Guangzhou*

**Croatia**

Gordan Lauc, *Zagreb*

**Czech Republic**

Marie Lipoldová, *Prague*

**Denmark**

Vibeke Andersen, *Odense*
Thomas V. O. Hansen, *Copenhagen*
Goutam Sahana, *Tjele*

**Ecuador**

Cesar Paz-Y-Mino, *Quito*

**Egypt**

Menha MA Swellam, *Giza*
Samia Ali Temtamy, *Cairo*

**France**

Christophe Chevillard, *Marseille*
Johanna Chluba, *Dijon*
Zdenko Herceg, *Lyon*
Enzo Lalli, *Valbonne*
James Lespinasse, *Chambéry*
Bernard S. Lopez, *Fontenay aux Roses*
Eric Pasmant, *Clichy*
Georges Vassaux, *Nice Cedex*
Kay-Dietrich Wagner, *Nice Cedex*
Qing Wang, *Lyon*

**Germany**

Stefan Bohringer, *Essen*
Anibh Martin Das, *Hannover*
Gudrun A. Rappold, *Heidelberg*
Hermona Soreq, *Jerusalem*

**Greece**

Roxani Angelopoulou, *Athens*
Voula Velissariou, *Athens*

**Hungary**

Béla Meleg, *Pecs*

**India**

Arvind Kumar Arya, *Meerut*
Prakash Sadashiv Gambhir, *Pune*
Katta KM Girisha, *Karnataka*
KAISER Jamil, *Hyderabad*

Narendra Joshi, *Navi Mumbai*
Swarna Mandava, *Mumbai*
Chinmay K Panda, *Kolkata*
Rajni Rani, *New Delhi*
Susanta Roychoudhury, *Kolkata*
Sudeep R Shah, *Mumbai*
Ranbir Chander Sobti, *Chandigarh*
Meera Vaswani, *New Delhi*
Suresh P Vyas, *Sagar*

**Iran**

Yahya Daneshbod, *Shiraz*
Fariborz Ghaffarpasand, *Shiraz*
Mohammad H Modarressi, *Tehran*
Shirin Hasani Ranjbar, *Tehran*
Nader tajik, *Tehran*
Dor Mohammad Kordi Tamandani, *Zahedan*
Alireza Zomorodipour, *Tehra*

**Ireland**

Ross McManus, *Dublin*

**Israel**

Aliza Shlomit Amiel, *Kfar-Saba*
Rachel Ben-Shlomo, *Tivon*

**Italy**

Francesco Acquati, *Varese*
Nenad Bukvic, *Bari*
Gabriele Candiani, *Milan*
Antonio Cao, *Cagliari*
Raffaella Cascella, *Rome*
Marco Castori, *Roma*
Massimo Collino, *Torino*
Teresa Esposito, *Naples*
Antonia Follenzi, *Novara*
Tommasina Guglielmelli, *Turin*
Lidia Larizza, *Milano*
Fortunato Lonardo, *Benevento*
Marco Lucarelli, *Rome*
Laura Mandelli, *Bologna*
Pier Giuseppe Pelicci, *Milan*
Daniela Perotti, *Milano*
Antonio M Persico, *Rome*
Enrico Pola, *Rome*
Giovanni Romeo, *Bologna*
Emanuela Signori, *Rome*
Alessio Squassina, *Cagliari*
Anna Stornaiuolo, *Milano*

**Japan**

Yutaka Hata, *Tokyo*
Mizukami Hiroaki, *Shimotsuke*
Johji Inazawa, *Tokyo*
Yasutomi Kamei, *Tokyo*
Tetsufumi Kanazawa, *Osaka*
Hiroyuki Kanzaki, *Miyagi*
Koichi Kawakami, *Shizuoka*
Akinori Kimura, *Tokyo*

Hiroshi Kunugi, *Tokyo*
Alexander Lezhava, *Kanagawa*
Hisao Masai, *Tokyo*
Ryuichi Morishita, *Suita*
Hitoshi Osaka, *Tochigi*
Masa-Aki Shibata, *Osaka*
Kazumi Suzukawa, *Tsukuba*
Masatoshi Tagawa, *Chiba*
Shin'ichi Takeda, *Tokyo*
Keizo Takenaga, *Shimane*
Hiroshi Tanooka, *Tokyo*
Takafumi Uchida, *Sendai*
Sho-ichi Yamagishi, *Kurume*
Toshiyuki Yamamoto, *Tokyo*
Norio Yasui-Furukori, *Hirosaki*

**Malaysia**

Ravindran Ankathil, *Kubang Kerian*
Hua Siew Gan, *Kubang Kerian*

**Mexico**

José F Munoz-Valle, *Zapopan*
Gilberto Vargas-Alarcon, *Mexico City*

**Netherlands**

Raoul CM Hennekam, *Amsterdam*
Anke H Maitland-van der Zee, *Utrecht*
Paulus J van Diest, *Utrecht*
Mannis van Oven, *Leiden*

**New Zealand**

Ryuji Fukuzawa, *Dunedin*
Christine M Morris, *Christchurch*

**Norway**

Kristian Tambs, *Oslo*
Martin Tesli, *Oslo*

**Pakistan**

Muhammad Naeem, *Islamabad*

**Peru**

Gustavo F Gonzales, *Lima*

**Poland**

Piotr Jan Wysocki, *Poznan*

**Portugal**

Manuel R Teixeira, *Porto*



Russia

Anton V Kiselev, *Saint-Petersburg*
Yuri B Yurov, *Moscow*



Saudi Arabia

Khaled K.S. Abu-Amero, *Riyadh*
Khawla S Al-Kuraya, *Riyadh*
Volodymyr Dvornyk, *Riyadh*
Wael Mohamed Swelam, *Medina*



Serbia

Lidija Radenovic, *Belgrade*



Singapore

N Gopalakrishna Iyer, *Singapore*
Peter E Lobie, *Singapore*
Eng-King Tan, *Singapore*



Slovenia

Borut Peterlin, *Ljubljana*
Uros Potocnik, *Maribor*



South Korea

Byung-Hoon Jeong, *Jeollabuk-do*
Jung Jin Kim, *Seoul*
Yonggoo Kim, *Seoul*
Taeg Kyu Kwon, *Taegu*
Seong-Wook Lee, *Yongin*
Taesung Park, *Seoul*
Han-Wook Yoo, *Seoul*



Spain

David Araújo-Vilar, *Santiago de Compostela*
Victor Asensi, *Oviedo*
Ignacio Blanco-Guillermo, *Barcelona*
Judit Sanz i Buxó, *Catalonia*
Javier S Castresana, *Pamplona*
Cristina Fillat, *Barcelona*
Karen Heath, *Madrid*
Adrián Llerena, *Badajoz*
Jose Felix Marti Masso, *San Sebastian*
José M Millán, *Valencia*
Salvador F Alino Pellilcer, *Valencia*
Juan Pie, *Zaragoza*
Jesus Prieto, *Pamplona*
Juan A Rey, *Madrid*
Miguel Chillon Rodriguez, *Bellaterra*
María E Sáez, *Seville*



Sweden

Mef Christina Nilbert, *Lund*



Switzerland

Angela Ciuffi, *Lausanne*
Daniel Schorderet, *Lausanne*



Thailand

Vorasuk Shotelersuk, *Bangkok*
Tewin Tencomnao, *Bangkok*
Viroj Wiwanitkit, *Bangkok*



Turkey

Mehmet Necdet Akkus, *Mersin*
Emrah Caylak, *Cankiri*
Merih Cetinkaya, *Bursa*
Ali Karaman, *Erzurum*
Mustafa Sahin, *Ankara*
Ahter Dilsad Sanlioglu, *Antalya*
Salih Sanlioglu, *Antalya*
Hülya Yazici, *Istanbul*



Ukraine

Ludmila Livshits, *Kyiv*



United Arab Emirates

Bassam R. Ali, *Al-Ain*



United Kingdom

Kristin Becker, *Cardiff*
Constantinos Demonacos, *Manchester*
David Jeremy Galton, *London*
Elaine Green, *Cardiff*
Wen G. Jiang, *Cardiff*
Patrick J Morrison, *Belfast*
Elisabeth Nacheva, *London*
Mary Callaghan Nicol, *Cardiff*
David J Timson, *Brighton*
Eugene M Tulchinsky, *Leicester*



United States

Praveen R Arany, *Cambridge*
Nedal Arar, *San Antonio*
Richard G Boles, *Los Angeles*
Merlin G Butler, *Kansas City*
Haifeng Chen, *Hayward*
J Don Chen, *Piscataway*
James J Chen, *Jefferson City*
Xiang-Ning Chen, *Richmond*
Qi Dai, *Nashville*
Shuo Dong, *Houston*
Yao-Shan Fan, *Miami*
Bing-Liang Fang, *Houston*
Peter J Francis, *Portland*
Xiaoyi Gao, *Chicago*
Yu-Bin Ge, *Detroit*
Antonio Giordano, *Philadelphia*

Thomas J Giordano, *Ann Arbor*
Stephen J Glatt, *Syracuse*
W Terrance Godbey, *New Orleans*
Dennis R Grayson, *Chicago*
Dong-Sheng Gu, *Indianapolis*
Zong-Sheng Guo, *Pittsburgh*
Hakon Hakonarson, *Philadelphia*
Wayne W Hancock, *Philadelphia*
David W Hein, *Louisville*
Huixiao Hong, *Jefferson*
Ji-Fan Hu, *Palo Atlo*
Shile Huang, *Shreveport*
Ying Huang, *Syracuse*
Johnny Huard, *Pittsburgh*
Barbara H Iglewski, *Rochester*
Yurij Ionov, *Buffalo*
Berit Kerner, *Los Angeles*
Alisa E Koch, *Ann Arbor*
Paul C Kuo, *Maywood*
Robert R Langley, *Houston*
Eduardo C Lau, *Milwaukee*
Kin-Hing W Lau, *Loma Linda*
Mong-Hong Lee, *Houston*
Da-Wei Li, *New Haven*
Shi-Bo Li, *Oklahoma City*
Wei Li, *Cleveland*
Ming-Fong Lin, *Omaha*
Steven R Lindheim, *Cincinnati*
Feng Liu, *Chapel Hill*
Xiao-Qi Liu, *West Lafayette*
Yao-Zhong Liu, *New Orleans*
Yong-Jun Liu, *New Orleans*
Bo Lu, *Nashville*
Qun Lu, *Greenville*
Xing-Guang Luo, *West Haven*
Richard C McEachin, *Ann Arbor*
Jian-Feng Meng, *Kansas*
Duane A Mitchell, *Durham*
Yin-Yuan Mo, *Springfield*
Viktor Morozov, *Bethesda*
Srinivas Mummidi, *San Antonio*
Mayumi Naramura, *Omaha*
Swapan K Nath, *Oklahoma*
Muthu Periasamy, *Columbus*
Gwendolyn P Quinn, *Tampa*
Rajalingam Raja, *Los Angeles*
Rajagopal Ramesh, *Houston*
Jasti S Rao, *Peoria*
Charles J Rosser, *Orlando*
Mark A Rothstein, *Louisville*
Ananda L Roy, *Boston*
Dharambir K Sanghera, *Oklahoma City*
Thomas Scholl, *Westborough*
Rong Shao, *Springfield*
Yuenian Eric Shi, *Roslyn Heights*
Shree Ram Singh, *Frederick*
Si-Hong Song, *Seminole*
Manjunath N Swamy, *El Paso*
Ming Tan, *Mobile*
Flora Tassone, *Sacramento*
Mustafa Tekin, *Miami*
Brad Therrell, *Austin*
Barry Trink, *Baltimore*
Tibor Valyi-Nagy, *Chicago*
Andre J van Wijnen, *Worcester*
Chia-Yeng Wang, *Chicago*
Jean Yin Jen Wang, *La Jolla*
Pin Wang, *Los Angeles*
Qing-Yi Wei, *Houston*
Qi-Ze Wei, *Manhattan*
David A Weinstein, *Gainesville*

Mary E Wilson, *Iowa City*
Xiaoling Xuei, *Indianapolis*
Guang Yang, *Augusta*
Zeng-Quan Yang, *Detroit*

Lin Yao, *Augusta*
Si-Ming Zhang, *Albuquerque*
Xiaoliu S Zhang, *Houston*
Tong Zhu, *Durham*



Uruguay

Jose L Badano, *Montevideo*



CASE REPORT

- 17 Mutation in *TNXB* gene causes moderate to severe Ehlers-Danlos syndrome
Kaufman CS, Butler MG

ABOUT COVER

Editorial Board Member of *World Journal of Medical Genetics*, Volodymyr Dvornyk, PhD, Professor, College of Science and General Studies, Alfaisal University, Riyadh 11533, Saudi Arabia

AIM AND SCOPE

World Journal of Medical Genetics (*World J Med Genet*, *WJMG*, online ISSN 2220-3184, DOI: 10.5496) is a peer-reviewed open access academic journal that aims to guide clinical practice and improve diagnostic and therapeutic skills of clinicians.

WJMG covers topics concerning genes and the pathology of human disease, molecular analysis of simple and complex genetic traits, cancer genetics, epigenetics, gene therapy, developmental genetics, regulation of gene expression, strategies and technologies for extracting function from genomic data, pharmacological genomics, genome evolution. The current columns of *WJMG* include editorial, frontier, diagnostic advances, therapeutics advances, field of vision, mini-reviews, review, topic highlight, medical ethics, original articles, case report, clinical case conference (Clinicopathological conference), and autobiography.

We encourage authors to submit their manuscripts to *WJMG*. We will give priority to manuscripts that are supported by major national and international foundations and those that are of great basic and clinical significance.

INDEXING/ABSTRACTING

World Journal of Medical Genetics is currently no indexing/abstracting.

FLYLEAF

I-IV Editorial Board

EDITORS FOR THIS ISSUE

Responsible Assistant Editor: *Xiang Li*
Responsible Electronic Editor: *Ya-Jing Lu*
Proofing Editor-in-Chief: *Lian-Sheng Ma*

Responsible Science Editor: *Fang-Fang Ji*
Proofing Editorial Office Director: *Xiu-Xia Song*

NAME OF JOURNAL

World Journal of Medical Genetics

ISSN

ISSN 2220-3184 (online)

LAUNCH DATE

December 27, 2011

FREQUENCY

Quarterly

EDITOR-IN-CHIEF

Hans van Bokhoven, Professor, PhD, Department of Human Genetics and Cognitive Neurosciences, Radboud university Nijmegen Medical centre, PO Box 9101, 6500 HB Nijmegen, The Netherlands

EDITORIAL OFFICE

Jin-Lei Wang, Director
Xiu-Xia Song, Vice Director
World Journal of Medical Genetics

Room 903, Building D, Ocean International Center, No. 62 Dongsihuan Zhonglu, Chaoyang District, Beijing 100025, China
Telephone: +86-10-59080039
Fax: +86-10-85381893
E-mail: editorialoffice@wjgnet.com
Help Desk: <http://www.wjgnet.com/esp/helpdesk.aspx>
<http://www.wjgnet.com>

PUBLISHER

Baishideng Publishing Group Inc
8226 Regency Drive,
Pleasanton, CA 94588, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
Help Desk: <http://www.wjgnet.com/esp/helpdesk.aspx>
<http://www.wjgnet.com>

PUBLICATION DATE

May 27, 2016

COPYRIGHT

© 2016 Baishideng Publishing Group Inc. Articles published by this Open Access journal are distributed under the terms of the Creative Commons Attribution Non-commercial License, which permits use, distribution, and reproduction in any medium, provided the original work is properly cited, the use is non commercial and is otherwise in compliance with the license.

SPECIAL STATEMENT

All articles published in journals owned by the Baishideng Publishing Group (BPG) represent the views and opinions of their authors, and not the views, opinions or policies of the BPG, except where otherwise explicitly indicated.

INSTRUCTIONS TO AUTHORS

Full instructions are available online at http://www.wjgnet.com/bpg/g_info_20160116143427.htm

ONLINE SUBMISSION

<http://www.wjgnet.com/esp/>

Mutation in *TNXB* gene causes moderate to severe Ehlers-Danlos syndrome

Carolyn S Kaufman, Merlin G Butler

Carolyn S Kaufman, Merlin G Butler, Department of Psychiatry, Behavioral Sciences and Pediatrics, University of Kansas Medical Center, Kansas City, KS 66160, United States

Author contributions: Kaufman CS and Butler MG designed the report and wrote the manuscript.

Supported by The National Institute of Child Health and Human Development (NICHD), No. HD02528.

Institutional review board statement: University of Kansas Medical Center Institutional Review Board.

Informed consent statement: Verbal consent was obtained from the patient. There are no identifying images included in the manuscript.

Conflict-of-interest statement: There are no conflicts of interest.

Open-Access: This article is an open-access article which was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>

Manuscript source: Invited manuscript

Correspondence to: Merlin G Butler, MD, PhD, Departments of Psychiatry, Behavioral Sciences and Pediatrics, University of Kansas Medical Center, 3901 Rainbow Blvd, MS 4015, Kansas City, KS 66160, United States. mbutler4@kumc.edu
Telephone: +1-913-5881800
Fax: +1-913-5881305

Received: April 16, 2016

Peer-review started: April 19, 2016

First decision: May 10, 2016

Revised: May 15, 2016

Accepted: May 18, 2016

Article in press: May 20, 2016

Published online: May 27, 2016

Abstract

We report a 28-year-old female who presented with severe joint pain, chronic muscle weakness, Raynaud's phenomenon, and hypermobility. She was found to have a 6074A > T nucleotide transition in the *TNXB* gene causing an amino acid protein change at Asp2025Val classified as likely pathogenic. We add this clinical report to the literature and classical human disease gene catalogs to identify this specific mutation as disease-causing. This gene variant was reported previously in a different 36-year-old patient who shared our patient's symptoms of joint hypermobility, skeletal and joint pain, skin elasticity and musculoskeletal problems, thereby causing a more severe presentation than seen in the hypermobility type of Ehlers-Danlos syndrome (EDS). At the time of writing, a few mutations in the *TNXB* gene have been recognized as pathogenic causing EDS due to tenascin-X deficiency, but the variant identified in our patient has not been recognized as pathogenic in online genetic databases. Our case study in combination with peer-reviewed literature suggests that the 6074A > T nucleotide transition in the *TNXB* gene may be classified as disease-causing for EDS due to tenascin-X deficiency.

Key words: Ehlers-Danlos syndrome; Genetic variants; Mutations; Hypermobility; Joint pain; Muscle weakness; Raynaud's phenomenon; Tenascin-X; *TNXB*; Ehlers-Danlos syndrome due to tenascin-X deficiency

© **The Author(s) 2016.** Published by Baishideng Publishing Group Inc. All rights reserved.

Core tip: Various types of Ehlers-Danlos syndrome (EDS) have unique phenotypic features and genetic causes that are under investigation. This case report presents a gene variant (6074A > T nucleotide transition in the *TNXB* gene) not previously classified as disease-causing which we propose should be classified as pathogenic. This variant appears to produce joint hypermobility, skeletal pain, and musculoskeletal problems and should be classified as causing EDS due to tenascin-X deficiency.

Kaufman CS, Butler MG. Mutation in *TNXB* gene causes moderate to severe Ehlers-Danlos syndrome. *World J Med Genet* 2016; 6(2): 17-21 Available from: URL: <http://www.wjgnet.com/2220-3184/full/v6/i2/17.htm> DOI: <http://dx.doi.org/10.5496/wjmg.v6.i2.17>

INTRODUCTION

Ehlers-Danlos syndrome (EDS) encompasses a heterogeneous collection of connective tissue disorders with joint, skin and vascular involvement. Patients diagnosed with EDS have diverse clinical findings, which may be better understood and classified by identifying the genetic contribution to symptoms^[1,2]. Although this condition has been recognized since 1901^[3] and is now classified into nine types, delineation of the types and relationships to causative genes and their variants are underway, impacted by advances in genetic technology and next generation (exome) sequencing^[4,5]. Here, we assert that mutations in the *TNXB* gene, which encodes the glycoprotein tenascin-XB and related to the benign hypermobility form of EDS, may cause a more severe form or presentation of EDS.

CASE REPORT

Our 28-year-old patient showed no developmental delays as a child. She did undergo a right knee arthroscopic surgery not related to an injury at 18 years of age and breast augmentation at 21 years of age. She has had two pregnancies and was anemic during both pregnancies, due to decreased red blood cell count. The pregnancies were full-term and labor and delivery were normal. She experienced increased joint hypermobility during both of her pregnancies. Previous lab work showed normal thyroid and hepatic function. The patient had generalized joint pain since childhood with mild scoliosis. Anti-inflammatory agents did not relieve her pain. She has experienced instability of the right shoulder, pelvis and both hip joints with more problems with advancing age. During the clinic visit, we completed an assessment of the patient's joint mobility using the Beighton scale^[6], which results in a numerical score from 0 to 9 with one point assigned for the ability to perform each of the following actions: Passive dorsiflexion of the little finger beyond 90 degrees; passive apposition of the thumb to the flexor aspects of the forearm; hyperextension of the elbow beyond 10 degrees; hyperextension of the knee beyond 10 degrees; and forward flexion of the trunk, with knees straight, so that palms of hands rest easily on the floor. Our patient's Beighton score was 6 out of 9, including easy placement of palms to the floor (one point), hyperextension of both knees (two points), hyperextension of one elbow (one point), and passive apposition of both thumbs to the forearms (two points) as shown in Figure 1.

Furthermore, our patient also experienced Raynaud's

phenomenon, manifested as paresthesia with decreased blood flow in her fingers, lip, ears, and nose (Figure 1). This clinical presentation led to rheumatology evaluation including antibody studies and SED rate to diagnose a mixed connective tissue disorder such as lupus or rheumatoid arthritis. The results were normal. The patient's back pain continues to worsen and she experiences weakness throughout much of her body. She is unable to participate in mildly strenuous manual labor or movement related activities. Our patient identifies chronic pain and generalized muscle weakness as the most significant medical problems detrimental to daily functioning and quality of life.

The family history was limited due to little to no contact with her siblings and parents, all of whom live in Israel. Our patient has 100% Ashkenazi Jewish ancestry but has not had any Jewish specific genetic disease testing. She has a son who is 4 years of age and a daughter who is 10 years of age, both currently without relevant medical concerns or health problems.

We ordered next generation DNA sequencing panel and deletion/duplication analysis of 33 genes related to connective tissue disorders (*ABCC6*, *ACTA2*, *ATP7A*, *CBS*, *CHST14*, *COL1A1*, *COL1A2*, *COL2A1*, *COL3A1*, *COL5A1*, *COL5A2*, *COL9A1*, *COL9A2*, *COL9A3*, *COL11A1*, *COL11A2*, *ELN*, *FBN1*, *FBN2*, *FKBP14*, *FLNA*, *MYH11*, *MYLK*, *PLOD1*, *SKI*, *SLC2A10*, *SLC39A13*, *SMAD3*, *SMAD4*, *TGFB2*, *TGFBR1*, *TGFBR2*, and *TNXB*) performed commercially at the University of Nebraska Medical Center (Omaha, NE) using a blood sample from our patient. The only gene variant identified was a 6074A > T transition in the *TNXB* gene causing a Asp2025Val amino acid change at the protein level, classified as a variant of uncertain clinical significance. No known pathogenic deletions or duplications were detected within these genes.

DISCUSSION

Classification for EDS began in the late 1960s^[4] and continues to evolve and expand over time, as diagnoses move beyond focusing solely on clinical symptoms to a more genomics-driven approach. A popular simplified classification based on the Villenfranche nosology outlined the following six major types of EDS^[4]: Classical (Type I and Type II) with defect in type 5 collagen; Hypermobile (Type III) with unknown genetic causation; Vascular (Type IV) with abnormal type 3 collagen; Kyphoscoliosis (Type VI) with deficiency of lysyl hydroxylase (LH); Arthrochalasia (Type VII) with deficiency of chains in type I collagen; and Dermatosparaxis (Type VIII) with deficiency of procollagen N-proteinase enzyme in type I collagen.

In a more recent review^[5], this classification was expanded based on current evidence, and a total of nine types of EDS were outlined: Classical (caused by defects in collagen *COL5A1* and *COL5A2* genes) involving skin laxity, joint hypermobility, widened scars, and easy bruising; Hypermobile (unknown cause) with velvet




Figure 1 Patient displays extreme hyperflexibility as represented by bilateral positive thumb to wrist signs on the Beighton hyperflexibility scale^[6]. Raynaud's phenomenon of the fingers with cool temperature and decreased blood flow.

skin and laxity, joint dislocations and hypermobility; Vascular (*COL3A1* gene) with arterial rupture, hypermobility, varicose veins, thin translucent skin, and easy bruising; Kyphoscoliosis (LH 1 - *PLOD1* gene) with muscle hypotonia in infants, scoliosis from birth, joint laxity, gross motor delay, easy bruising, and fragility of sclerae; Arthrochalasia (collagen 1 - *COL1A1*, *COL1A2* genes) with severe joint hypermobility, congenital bilateral hip dislocations, skin elasticity, easy bruising, kyphoscoliosis, and osteopenia; Dermatosparaxis (pro-collagen N-proteinase - *ADAMTS2* gene) with sagging redundant skin, blue sclerae, short stature, and umbilical hernia; EDS with scoliosis, myopathy, hearing impairment (*FKBP14* gene); Musculocontractural EDS (*CHST14* gene) with progressive kyphoscoliosis, adducted thumbs in infancy, joint hypermobility, clubfoot, arachnodactyly, elastic skin, and poor wound healing; and finally Tenascin-X deficient (*TNXB* gene). Those with Tenascin-X (*TNXB*) deficient EDS involve features of marked skin laxity, pronounced joint hypermobility and severe bruising^[5]. We extend the description of those with mutations in the *TNXB* gene to include significant joint pain and Raynaud's phenomenon, thus resulting in a more severe form of EDS than previously classified. Whether the severity depends on the type or location of the gene variant (mutation) is unknown.

The *TNXB* gene (sometimes known by other names such as *HXBL*, *TNX*, *TENX*, *XB*) belongs to a family of genes called fibronectin type III domain containing and localizes to the major histocompatibility complex

(MHC) class III region on chromosome 6, at cytogenetic location 6p21.3. The *TNXB* gene encodes for a protein called tenascin-X, which may regulate assembly and production of specific types of collagen. Tenascin-X helps organize and maintain the structure of tissues supporting the joints, organs, skin, connective tissues, and muscles^[7].

Tenascin-X is an extracellular matrix glycoprotein, thought to function in matrix maturation during wound healing^[7] and became the first *EDS* gene that does not encode a collagen-modifying enzyme or a fibrillar collagen^[8]. Mice knockouts (*Tnxb*^{-/-}) showed skin hyperextensibility, reflecting the human phenotype of EDS, and the skin collagen content was significantly reduced compared to wildtype. Additionally, the density of fibrils in the skin of knockout (*Tnxb*^{-/-}) mice was reduced compared to wildtype, suggesting tenascin-X plays a significant regulatory role in collagen deposition by dermal fibroblasts^[8]. Hence, tenascin-X appears to be involved in the regulation of the structure and stability of elastic fibers, which give elasticity and flexibility to connective tissues.

Alterations in the *TNXB* gene and effects on protein levels have also been studied^[9]. The researchers measured tenascin-X in serum from 21 healthy subjects and 151 patients diagnosed with EDS. They reported that 146 of the 151 patients with EDS had detectable tenascin-X levels in their serum. A closer examination of the 5 patients diagnosed with EDS and lacking serum tenascin-X revealed that all had hyperelastic skin and

hypermobility, and a subset had joint pain and multiple subluxations. One patient was homozygous and another heterozygous for a 30-kb deletion in the *TNXB* gene resulting in a nonfunctional fusion gene. Two patients were homozygous for a 2-bp deletion in exon 8 of the *TNXB* gene, which altered the open reading frame coding for amino acids 1184 through 1230 before causing a premature stop codon. The fifth patient was homozygous for a 2-bp insertion in exon 3 which caused a stop codon at position 707. These genetic variations are now classified as causing EDS specifically due to tenascin-X protein deficiency.

Furthermore, a different study^[10] identified three missense mutations in the *TNXB* gene, one in each of three patients diagnosed with the hypermobility type EDS but with normal tenascin-X serum levels: A 3582A > G transition (Val1195Met), an 85C > T transition (Arg29Trp), and a 12097C > A transition (Leu4033Ile). These wild type amino acids and locations are strongly conserved in this protein. The researchers then compared skin biopsies from these patients with other EDS hypermobility type patients who did not have gene variants in the *TNXB* gene and determined that elastic fiber abnormalities in hypermobility type EDS are specific for TNX-haploinsufficient individuals and confirm an important role for TNX in regulating elastic fiber integrity in humans^[10].

As demonstrated in the literature by examples described, a variety of mutations, deletions, and insertions in the *TNXB* gene may cause features of EDS. Our patient's gene change was classified as a variant of unknown significance and not as yet classified as disease-causing. This missense mutation in exon 17 of the *TNXB* gene in our patient is moderately conserved with an in silico prediction of trending damaging. This mutation causes a significant amino acid change from an aspartic acid which is negatively charged to a valine which is non-polar; this transition could theoretically impact protein structure due to such a dramatic change in the amino acid classification type. Based on our patient's clinical symptoms and DNA findings with evidence from the literature, we propose that the 6074A > T nucleotide transition (p.Asp2025Val) identified in our patient causes a moderate to severe form of EDS that includes significant joint pain, muscle weakness, hypermobility and Raynaud's phenomenon.

A limitation of our report is the lack of contact by the patient with her siblings or parents, all of whom live in Israel. Therefore, it is not possible for us to reach members of her family to identify the presence or absence of the gene variant and to better characterize the genotype-phenotype relationship. Furthermore, our patient lives at a considerable distance from the medical center making travel difficult for her and her immediate family (e.g., younger children). It is unlikely that arrangements could be made in a timely fashion to undertake skin biopsy and assessment of elastic fibers in the patient or her living children without evidence of disease in which an invasive procedure is not warranted

even if accessible.

Our patient is also of Ashkenazi Jewish ancestry. A 36-year-old patient with this same amino acid change at the protein level reported to be likely pathogenic^[2,11-14] and that patient was diagnosed clinically with the hypermobility type of EDS. The patient's symptoms included hypermobility, skeletal pain, skin elasticity, gastrointestinal and musculoskeletal problems, all consistent with EDS. The status of Jewish ancestry with this reported patient is unknown. We propose that both of these patients may have a form of EDS due to their specific mutation in the *TNXB* gene, causing more severe symptoms sufficiently significant to interfere with daily functioning and quality of life. More research is needed to conclude that this gene variant is causative and authors encourage the reporting of other patients with variants of the *TNXB* gene, clinical features and genotype-phenotype correlations.

ACKNOWLEDGMENTS

We thank our patient.

COMMENTS

Case characteristics

A 28-year-old female presented with joint pain, muscle weakness, hypermobility, and Raynaud's phenomenon. She was referred to our clinic for evaluation for a connective tissue disorder.

Clinical diagnosis

Severe joint pain, chronic muscle weakness, Raynaud's phenomenon, hypermobility with Beighton hypermobility score of 6 out of 9, mild scoliosis.

Differential diagnosis

Ehlers-Danlos syndrome.

Laboratory diagnosis

Previous rheumatology evaluation ruled out lupus or rheumatoid arthritis through antibody studies and SED rate. Testing through the University of Nebraska Medical Center (Omaha, NE) showed a nucleotide 6074A > T transition in the *TNXB* gene using a blood sample.

Treatment

Reduce daily stress on joints by minimizing mildly strenuous activity. Avoid hyper-extending joints.

Related report

Lee H, Deignan JL, Dorrani N, Strom SP, Kantarci S, Quintero-Rivera F, Das K, Toy T, Harry B, Yourshaw M, Fox M, Fogel BL, Martinez-Agosto JA, Wong DA, Chang VY, Shieh PB, Palmer CG, Dipple KM, Grody WW, Vilain E, Nelson SF. Clinical exome sequencing for genetic identification of rare Mendelian disorders. *JAMA* 2014; 312: 1880-1887 [PMID: 25326637 DOI: 10.1001/jama.2014.14604].

Term explanation

Ehlers-Danlos syndrome includes a heterogeneous collection of connective tissue disorders with vascular, skeletal and skin involvement.

Experiences and lesson

As technology advances, authors are able to order more sophisticated genetic testing in the clinical setting, such as the sequencing and deletion/duplication panel ordered in this case report. However, the meaning of the results is not always clear, as more often than not they identify "variants of unknown clinical

significance", meaning the change at the DNA level does not have a clear, recognized outcome for the phenotype. In these cases, they use computer simulation to predict whether or not the change may harmful to protein structure or function. They also review literature for cases involving the variant, with the hope of associating genotype with phenotype. In the case of the patient reported in this manuscript, they concluded through in-depth examination of the variant and a comprehensive literature review that the 6074A > T transition in the *TNXB* gene seen in our patient is likely pathogenic and causes a moderate to severe form of Ehlers-Danlos syndrome.

Peer-review

The authors report a case of Ehlers-Danlos syndrome with a mutation in *TNXB* gene. The report is interesting.

REFERENCES

- 1 **Online Mendelian Inheritance in Man.** Johns Hopkins University, Baltimore, MD. [updated 2014 Aug 26]. Available from: URL: <http://omim.org/entry/606408?search=tnxb&highlight=tnxb>
- 2 **Lee H,** Deignan JL, Dorrani N, Strom SP, Kantarci S, Quintero-Rivera F, Das K, Toy T, Harry B, Yourshaw M, Fox M, Fogel BL, Martinez-Agosto JA, Wong DA, Chang VY, Shieh PB, Palmer CG, Dipple KM, Grody WW, Vilain E, Nelson SF. Clinical exome sequencing for genetic identification of rare Mendelian disorders. *JAMA* 2014; **312**: 1880-1887 [PMID: 25326637 DOI: 10.1001/jama.2014.14604]
- 3 **Ehlers E.** Cutis laxa, neigung zu harmorrhagien in der haut, lockerun mehrer Artikulationen. *Dermat Ztschr* 1901; **8**: 173
- 4 **Parapia LA,** Jackson C. Ehlers-Danlos syndrome--a historical review. *Br J Haematol* 2008; **141**: 32-35 [PMID: 18324963 DOI: 10.1111/j.1365-2141.2008.06994.x]
- 5 **Sobey G.** Ehlers-Danlos syndrome: how to diagnose and when to perform genetic tests. *Arch Dis Child* 2015; **100**: 57-61 [PMID: 24994860 DOI: 10.1136/archdischild-2013-304822]
- 6 **Beighton P,** Solomon L, Soskolne CL. Articular mobility in an African population. *Ann Rheum Dis* 1973; **32**: 413-418 [PMID: 4751776 DOI: 10.1136/ard.32.5.413]
- 7 **National Library of Medicine (US).** Genetics Home Reference [Internet]. Bethesda (MD): The Library; 2016 Mar 28. TNXB. [reviewed 2015 Nov; cited 2016 Apr 7]. Available from: URL: <http://ghr.nlm.nih.gov/gene/TNXB>
- 8 **Mao JR,** Taylor G, Dean WB, Wagner DR, Afzal V, Lotz JC, Rubin EM, Bristow J. Tenascin-X deficiency mimics Ehlers-Danlos syndrome in mice through alteration of collagen deposition. *Nat Genet* 2002; **30**: 421-425 [PMID: 11925569 DOI: 10.1038/ng850]
- 9 **Schalkwijk J,** Zweers MC, Steijlen PM, Dean WB, Taylor G, van Vlijmen IM, van Haren B, Miller WL, Bristow J. A recessive form of the Ehlers-Danlos syndrome caused by tenascin-X deficiency. *N Engl J Med* 2001; **345**: 1167-1175 [PMID: 11642233 DOI: 10.1056/NEJMoa002939]
- 10 **Zweers MC,** Dean WB, van Kuppevelt TH, Bristow J, Schalkwijk J. Elastic fiber abnormalities in hypermobility type Ehlers-Danlos syndrome patients with tenascin-X mutations. *Clin Genet* 2005; **67**: 330-334 [PMID: 15733269 DOI: 10.1111/j.1399-0004.2005.00401.x]
- 11 **Beighton P,** Horan F. Orthopaedic aspects of the Ehlers-Danlos syndrome. *J Bone Joint Surg Br* 1969; **51**: 444-453 [PMID: 5820785]
- 12 **Beighton P,** De Paepe A, Steinmann B, Tsipouras P, Wenstrup RJ. Ehlers-Danlos syndromes: revised nosology, Villefranche, 1997. Ehlers-Danlos National Foundation (USA) and Ehlers-Danlos Support Group (UK). *Am J Med Genet* 1998; **77**: 31-37 [PMID: 9557891 DOI: 10.1002/(SICI)1096-8628(19980428)77:1<31::AID-AJMG8>3.0.CO;2-O]
- 13 **De Paepe A,** Malfait F. The Ehlers-Danlos syndrome, a disorder with many faces. *Clin Genet* 2012; **82**: 1-11 [PMID: 22353005 DOI: 10.1111/j.1399-0004.2012.01858.x]
- 14 **Juul-Kristensen B,** Røgind H, Jensen DV, Remvig L. Inter-examiner reproducibility of tests and criteria for generalized joint hypermobility and benign joint hypermobility syndrome. *Rheumatology (Oxford)* 2007; **46**: 1835-1841 [PMID: 18006569 DOI: 10.1093/rheumatology/kem290]

P- Reviewer: Castori M, Sakamoto A, Sakkas LI **S- Editor:** Qiu S
L- Editor: A **E- Editor:** Lu YJ





Published by **Baishideng Publishing Group Inc**

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

Help Desk: <http://www.wjgnet.com/esps/helpdesk.aspx>

<http://www.wjgnet.com>

